

FIG. 1





FIG. 2



10076513.021902

FIG. 3





FIG. 4



10076513.021902

FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10



10076513 - 021902

FIG. 11




FIG. 12




FIG. 13





FIG. 14



10076513 - 021902

FIG. 15





FIG. 16



10076513 - 021902

FIG. 17




FIG. 18





FIG. 19



10076513 - 021902

FIG. 20






FIG. 21



10076513 . 021902

FIG. 22



10076513 - 02/1992

FIG. 23





FIG. 24



10075513 - 021902

FIG. 25




FIG. 26





FIG. 27



10076513.021902

FIG. 28





FIG. 29



10076513 - 021902

FIG. 30





FIG. 31



10076513 - 021902

FIG. 32




FIG. 33

LAYER3	LAYER2	TRANSMISSION PORT	MAXIMUM PACKET LENGTH
IP-A	MAC-A	PORT B	LEN A

Annotations:

- IP-A is labeled 3109.
- MAC-A is labeled 3310.
- PORT B is labeled 3303.
- LEN A is labeled 3402.
- The column header 'MAXIMUM PACKET LENGTH' is labeled 3401.

FIG. 34





FIG. 35



10075513 - 021902

FIG. 36





FIG. 37



10026513.021902